

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	generat\$4 near2 object with class same access\$3 same (xml or extensible adj markup)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L2	15	(client user) with (log\$off log adj off sign\$off sign adj off terminat\$3 near access \$3 shutdown shut\$4 adj down) with (delet \$3 remov\$3 destroy\$3 destruct\$3 clean\$up) near3 (object user near space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L3	37	(generat\$4 or creat \$3) near2 object with class same access\$3 same (xml or extensible adj markup)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L4	16	(logout log\$out) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L5	36	client with access\$3 same (creat\$4 or instantiat\$6) near2 object with (stream or representation) and (delet\$4 or remov \$4 or destroy\$4) near2 object	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L6	41	xml and (delet\$3 remov \$3 destroy\$3 destruct \$3) near object same (shutdown terminat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L7	36	xml with java with de \$compil\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03

L8	36	(user client) with (log\$off log adj off sign\$off sign adj off terminat\$3 near access \$3 shutdown shut\$4 adj down) with (delet \$3 remov\$3 destroy\$3 destruct\$3 clean\$up) near3 (object module component bean)	US-PGPUB; USPAT; EPO; USOCR; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L9	25	((generat\$4 or creat \$3) near2 object same (xml or extensible adj markup) same java) not ((generat\$4 or creat\$3) near2 object with class same (xml or extensible adj markup))) and ((@ad < "20000501") or (@prad < "20000501") or (@rlad < "20000501"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L10	46	xml same space same ((remov\$3 delet\$4 clean\$4 destroy\$4 destruct\$4) near5 (object module component))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L11	106	(object near3 {exchang \$3 or access\$3) with (creat\$3 or instantiat \$3 or creat\$3) same (secur\$4 or authoriz \$6 or authenticat\$6 or permission)) and java and (xml or extensible near3 markup)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L12	57	distribut\$4 near2 object same (access adj right or permission or authoriz \$4 or authenticat\$4) and (destroy\$3) near object	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L13	85	data adj representation adj language	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03

L14	78	(distribut\$4 near2 object same (access adj right or permission or authoriz \$4 or authenticat\$4) and (destroy\$3 or remov\$3 or delet\$3) near3 object) and ((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; EPO; DERWENT; IBN_TDB	OR	ON	2008/07/01 09:03
L15	92	java same space same ((remov\$3 delet\$4 clean\$4 destroy\$4 destruct\$4) near5 (object module component))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBN_TDB	OR	ON	2008/07/01 09:03
L16	68	(user client) near3 (log\$off log adj off sign\$off sign adj off terminat\$3 near access \$3 shutdown shut\$4 adj down log adj out log\$out end adj access end adj session) same (delet \$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBN_TDB	OR	ON	2008/07/01 09:03
L17	106	xml with java with object with serializ \$6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBN_TDB	OR	ON	2008/07/01 09:03
L18	266	(generat\$4 or creat \$3) near2 object with class same (xml or extensible adj markup)	US-PGPUB; USPAT; EPO; DERWENT; IBN_TDB	OR	ON	2008/07/01 09:03
L19	128	xml with java with object with representation	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBN_TDB	OR	ON	2008/07/01 09:03

L20	181	(client user) with (log\$off log adj off sign\$off sign adj off terminat\$3 shutdown shut\$4 adj down exit \$3) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up) near3 (object user near space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L21	156	xml with object same (delet\$3 remov\$3 destroy\$3 destruct\$3) near2 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L22	89	(delet\$3 remov\$3 destroy\$3 destruct\$3) near object same (shutdown terminat\$3 near access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L23	113	(creat\$4 generat\$4) near2 (wrapper proxy interface) with driver with (operating adj system OS kernel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L24	114	(creat\$4 generat\$4 compil\$4) near2 (wrapper proxy interface) with driver with (operating adj system OS kernel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L25	133	(distribut\$4 adj object with (access or right or permission or policy or rule or authoriz\$6 or authenticat\$6) and ((remov\$3 or delet\$3) near3 (object))) and ((@ad < "20000501") or (@prad < "20000501") or (@riad < "20000501"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L26	160	(creat\$4 generat\$4 build\$3 map\$4) near2 (wrapper proxy interface) with driver with (operating adj system OS kernel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03

L27	202	distribut\$4 adj object with (access or right or permission or policy or rule or authoriz\$6 or authenticat\$6) and ((remov\$3 or delet\$3) near3 (object))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L28	247	xml same (delet\$3 remov\$3 destroy\$3 destruct\$3) near2 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L29	619	(log\$off log adj off sign\$off sign adj off terminat\$3 near access \$3 shutdown shut\$4 adj down) with (delet \$3 remov\$3 destroy\$3 destruct\$3 clean\$up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L30	1677	xml with java with object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:03
L31	29	xml with java same credential	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:05
L32	7	xml with java same acl	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 09:09
L33	1099	(719/315).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/01 09:10
L34	834	(717/136).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/01 09:10
L35	328	(717/146).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/01 09:11
L36	1801	(726/4).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/01 09:11
L37	550	(726/28).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/01 09:11
S179	1	("6569207") .PW.	US-PGPUB; USPAT	OR	OFF	2008/06/30 08:55

S180	1567	xml with (rights permission authoriz \$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:17
S181	389	xml with (rights permission authoriz \$6) with (user client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:19
S182	9	xml with (rights permission authoriz \$6) with (user client) with java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:19
S183	18	("6569207") URPN	USPAT	OR	ON	2008/06/30 09:21
S184	1	("7260543") .PN	US-PGPUB; USPAT	OR	OFF	2008/06/30 09:24
S185	74	(jvm virtual adj machine) with xml with (object)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 10:18
S186	16	(jvm virtual adj machine) with xml with (generat\$3 instantiat\$4 creat\$4) near (object)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 10:19
S187	84	((("7340500") or ("7206841") or ("7065579") or ("7167920") or ("7401152") or ("7136927") or ("7165107") or ("7263560") or ("7197565") or ("6434694") or ("6202147") or ("6385625") or ("6865657") or ("6957237") or ("6763440") or ("6854115") or ("6760815") or ("6934755") or ("6941410") or ("6789122") or ("6959331") or ("6917976") or ("6850979") or ("6973493") or	US-PGPUB; USPAT	OR	OFF	2008/06/30 20:01

("6970869") or
("6918084") or
("6862594") or
("7188251") or
("7395333") or
("6789077") or
("7080078") or
("7065574") or
("7260543") or
("6643650") or
("6868447") or
("7072967") or
("6792466") or
("7200848") or
("6874066") or
("6014669") or
("6052739") or
("6058400") or
("6421787") or
("6161191") or
("6173413") or
("5964886") or
("6598093") or
("6119157") or
("6052720") or
("6161125") or
("6202146") or
("6115715") or
("6119129") or
("6366954") or
("6862735") or
("6298354") or
("6606632") or
("6598052") or
("6542899") or
("6609130") or
("6611844") or
("6738846") or
("7010573") or
("7016966") or
("6950875") or
("7370091") or
("6446219") or
("7401153") or
("7327741") or
("7401132") or
("7292585") or
("7243356") or
("7398533") or
("6789126") or
("6898618") or
("5968136") or
("6594708") or
("6351751") or
("6233582") or
("6618767") or
("6615342") or

		("5566337") or ("5734903") or ("5630076") or ("5568644") or ("5615392") or ("5590334") or ("5802365") or ("5732285"))_PN.				
S188	13	S187 and (programming and (access right credential))_c1n.	US_PGPUB; USPAT; USOCR, EPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 20:59

7/1/08 9:21:21 AM

C:\Documents and Settings\LZhen\My Documents\EAST\workspaces\096636651V .wsp